

BOYD SMITHS PRIVATE LIMITED

Add: B-3/5 Gillander House, 8 N.S.Road,Kolkata-700001,W.B (India)

Tel: +919830915911 Mob/Whatsapp/: +919830915911

Email: info@boydsmiths.in URL: www.boydsmiths.in

Aluminum Work Platform

(HS Code: 8428909090)



BOYD SMITHS PRIVATE LIMITED

Add: B-3/5 Gillander House, 8 N.S.Road,Kolkata-700001,W.B (India)

Tel: +919830915911 Mob/Whatsapp/: +919830915911

Email: info@boydsmiths.in URL: www.boydsmiths.in

Data-sheet

Model No.	Commodities and photos
TFMA24-4	Max Platform Height: 24000mm Max Working Height: 26000mm Load Capacity: 160Kg Platform Size: 1600*880mm Lifting Time: 160S Lifting Motor: 3.0KW Overall Size: 4300mm*1400mm*2300mm Net Weight: 2200Kg
FMA16-4	Max Platform Height: 16000mm Max Working Height: 18000mm Load Capacity: 160Kg Platform Size: 1600*880mm Lifting Time: 135S Lifting Motor: 3.0KW Overall Size: 2100mm*1400mm*2680mm Net Weight: 1520Kg
TFMA18-4	Max Platform Height: 18000mm Max Working Height: 20000mm Load Capacity: 160Kg Platform Size: 1600*880mm Lifting Time: 145S Lifting Motor: 3.0KW Overall Size: 3100mm*1400mm*2200mm Net Weight: 1850Kg
TFMA20-4	Max Platform Height: 20000mm Max Working Height: 22000mm Load Capacity: 160Kg Platform Size: 1600*880mm Lifting Time: 150S Lifting Motor: 3.0KW Overall Size: 3900mm*1400mm*2200mm Net Weight: 1850Kg

Options:

Optional 1> MOVE BY DC BATTERY POWER:

Optional 2> REMOTE CONTROL:

BOYD SMITHS PRIVATE LIMITED

Add: B-3/5 Gillander House, 8 N.S.Road,Kolkata-700001,W.B (India)

Tel: +919830915911 Mob/Whatsapp/: +919830915911

Email: info@boydsmiths.in URL: www.boydsmiths.in

Material and Configuration

1	Platform	20*40*3mm Quarter Bend, 3mm plate, IS-2062
2	Strut	200*100*7mm Aluminum
3	Chassis	120*60*4mm Weld Frame International Rectangular Tube
4	Sliding Block	PU Wheels
5.	Chains	LH0834 Plate Chains
6	Hydro Cylinder	HSG60/35 3pcs; VALQUA seal rings
7	Oil Pipe	2-10-43MPa Two layers steel mesh hydraulic oil pipe.
8	Pump Station	Anshan Lisheng high quality pump station equipped with emergency decline system and overflow valve.
9	Power	3.0kw
10	Cable	PU line body armor fiber with great Flexibility
11	Tyre	200-8 PU wheels
12	Support Legs	100*50*4mm International Rectangular Tube
13	Switch Box	Schneider brand, contact lists connection, install a thermal overload protection, Vacant Phase Protection
14	Control Panels	Two control panels. Emergency stop button is equipped. Operating voltage is only 24V.
15	Parts	Electroplated parts, bolts, nuts, spring washers, flat washers, pins, rails, sprockets, hydraulic fittings, screw the legs, feet, etc.
16	Hydraulic Oil	32# Antiwear hydraulic oil
17	Lifting Speed	4-6m/minute. Lowering speed is adjustable.
18	Surface Treatment	Shot blasting makes surface very smooth. Improve the adhesive force of painting.
19	Painting	Stoving Varnish with great anti corrosion performance.

Details Show

Specification and materials are subject to change without notice

BOYD SMITHS PRIVATE LIMITED

Add: B-3/5 Gillander House, 8 N.S.Road,Kolkata-700001,W.B (India)

Tel: +919830915911 Mob/Whatsapp/: +919830915911

Email: info@boydsmiths.in URL: www.boydsmiths.in

Control Box on the body (UP, Down, Power)	Control Panel on the Platform
	
Emergency Decline Button	Support Legs
	
Gradient-er	Travel Switch
	

BOYD SMITHS PRIVATE LIMITED

Add: B-3/5 Gillander House, 8 N.S.Road,Kolkata-700001,W.B (India)

Tel: +919830915911 Mob/Whatsapp/: +919830915911

Email: info@boydsmiths.in URL: www.boydsmiths.in

Photos Show

