

SELF PROPELLED ELECTRIC SCISSOR LIFTS

AS0407

Technical Parameters

Model	AS0407
Lift Capacity	240 kg(529 lb)
Lift Capacity Extension	113 kg(220 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	5.6 m(18.37 ft)
Overall Length(B)	1.53 m(5 ft)
Overall Width(C)	0.76 m(2.49 ft)
Stowed Height-Rails Folded(D)	1.65 m(5.77 ft)
Platform Extension Length	0.6 m(1.97 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile), 0.5 km (0.31 mile)
Up/Down Speed	25/20
Gradeability	25
Max.Slope	1.5°/3°
Machine Weigh	940 kg(1940 lb)

AS0507

Technical Parameters

Model	SS0507
Lift Capacity	230 kg(507 lb)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	6.3 m(21.65 ft)
Overall Length(B)	1.53 m(5 ft)
Overall Width(C)	0.81 m(2.66 ft)
Stowed Height-Rails Folded(D)	1.87 m(6.13 ft)
Platform Extension Length	0.6 m(1.97 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.5 km(0.31 mile)

Up/Down Speed	25/20
Gradeability	25

AS0707E

Technical Parameters

Model	AS0607E
Lift Capacity	230 kg(507 lb)
Lift Capacity Extension	120 kg(264 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	7.8 m(25.6 ft)
Overall Length(B)	1.86 m(6.1 ft)
Overall Width(C)	0.76 m(2.66 ft)
Stowed Height-Rails Folded(D)	1.73
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.8km(0.5 mile)
Up/Down Speed	16/34
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	1560 kg(3462 lb)

AS0808E

Technical Parameters

Model	AS0808E
Lift Capacity	230 kg
Lift Capacity Extension	113 kg
Max.Platform Occupants	2
Max.Working Height(A+2)	10 m
Overall Length(B)	2.47 m
Overall Width(C)	0.83 m
Overall Height-Rails Folded(D)	1.96 m

Platform Extension Length	0.9 m
Driving Speed(stowed/raised)	4.0/0.8 km/h
Up/Down Speed-GB	31/40 sec
Up/Down Speed-CE	31/40 sec
Gradeability	25%
Max.Slope	1.5°/3°
Machine Weigh	2180 kg

AS1012E

Technical Parameters

Model	AS1012E
Lift Capacity	320 kg(705 lb)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	12 m(39.37 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	1.18 m(3.87 ft)
Stowed Height-Rails Folded(D)	1.8 m(5.9 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.8km(0.5 mile)
Up/Down Speed	58/74
Gradeability	25
Max.Slope	2/3
Machine Weigh	2950 kg(6505 lb)

AS1212E

Technical Parameters

Model	AS1212E
Lift Capacity	320 kg(705 lb)
Lift Capacity Extension	113 kg(249 lb)

Max.Platform Occupants	2
Max.Working Height(A+2)	14 m(45.93 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	1.18 m(3.87 ft)
Stowed Height-Rails Folded(D)	1.96 m(6.43 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.8km(0.5 mile)
Up/Down Speed	58/74
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	3250 kg(7166 lb)