

Technical Parameters

AS0607

Model	AS0607
Lift Capacity	230 kg(507 lb)
Lift Capacity Extension	120 kg(264 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	7.8 m(25.6 ft)
Overall Length(B)	1.83 m(6 ft)
Overall Width(C)	0.76 m(2.49 ft)
Stowed Height-Rails Folded(D)	/
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.8km(0.5 mile)
Up/Down Speed	16/34
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	1560 kg(3440 lb)

AS0607W

Technical Parameters

Model	AS0607W
Lift Capacity	230 kg(507 lb)
Lift Capacity Extension	120 kg(264 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	7.8 m(25.6 ft)
Overall Length(B)	1.83 m(6 ft)
Overall Width(C)	0.81 m(2.66 ft)
Stowed Height-Rails Folded(D)	/
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	4.0 km(2.49 mile),0.8km(0.5 mile)
Up/Down Speed	16/29
Gradeability	25

Max.Slope	1.5/3
Machine Weigh	1570 kg(3462 lb)

AS0608

Technical Parameters

Model	AS0608
Lift Capacity	380 kg(838 lb)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	7.9 m(25.9 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	0.83 m(2.72 ft)
Stowed Height-Rails Folded(D)	1.84 m(6.03 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	3.5 km(2.17 mile),0.8km(0.5 mile)
Up/Down Speed	30/34
Gradeability	30
Max.Slope	1.5/3
Machine Weigh	2050 kg(4520 lb)

AS0808

Technical Parameters

Model	AS0808
Lift Capacity	230 kg(507 lb)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	10 m(32.8 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	0.83 m(2.72 ft)
Stowed Height-Rails Folded(D)	1.96 m(6.43 ft)

Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	3.5 km(2.17 mile),0.8km(0.5 mile)
Up/Down Speed	31/40
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	2180 kg (4807 lb)

AS1012

Technical Parameters

Model	AS1012
Lift Capacity	320 kg(705 lb)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	12 m(39.37 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	1.18 m(3.87 ft)
Stowed Height-Rails Folded(D)	1.8 m(5.9 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	3.5 km(2.17 mile), 0.8km(0.5 mile)
Up/Down Speed	62/70
Gradeability	25
Max.Slope	2/3
Machine Weigh	3000 kg(6615 lb)

AS1212

Technical Parameters

Model	AS1212
Lift Capacity	320 kg(705 lb)
Lift Capacity Extension	113 kg(249 lb)

Max.Platform Occupants	2
Max.Working Height(A+2)	14 m(45.93 ft)
Overall Length(B)	2.47 m(8.1 ft)
Overall Width(C)	1.18 m(3.87 ft)
Stowed Height-Rails Folded(D)	1.96 m(6.43 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	3.1 km(1.93 mile), 0.8km(0.5 mile)
Up/Down Speed	53/90
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	3300 kg(7277 lb)

AS1412

Technical Parameters

Model	AS1412
Lift Capacity	200 kg(441 lb) (above 10m/32.8ft) /320 kg(705 lb) (under 10m/32.8ft)
Lift Capacity Extension	113 kg(249 lb)
Max.Platform Occupants	2
Max.Working Height(A+2)	15.8 m(51.84 ft)
Overall Length(B)	2.68 m(8.79 ft)/2.79 m(9.15 ft)
Overall Width(C)	1.25 m(4.1 ft)
Stowed Height-Rails Folded(D)	2.1 m (6.9 ft)
Platform Extension Length	0.9 m(2.95 ft)
Driving Speed(stowed/raised)	3.5 km(2.17 mile),0.8km(0.5 mile)
Up/Down Speed	80/60
Gradeability	25
Max.Slope	1.5/3
Machine Weigh	3300 kg(7277 lb)

